OLYMPIC REGION CLEAN AIR AGENCY

2940 Limited Lane NW - Olympia, Washington 98502 - 360-539-7610 – Fax 360-491-6308

FORM 1- NOTICE OF CONSTRUCTION

TO CONSTRUCT - INSTALL - ESTABLISH OR MODIFY AN AIR CONTAMINANT SOURCE

Form 1 Instructions:

1. Please complete all the fields below. **This NOC application is considered incomplete until signed.**
2. If the application contains any confidential business information, please complete a Request of Confidentiality of Records (www.orcaa.org/forms).
3. Duty to Correction Application: An applicant has the duty to supplement or correct an application. Any applicant who fails to submit any relevant facts or who has submitted incorrect information in a permit application must, upon becoming aware of such failure or incorrect submittal, promptly submit supplementary factors or corrected information.

Business Name: Alejo Kustom	**For ORCAA use only**
Mailing Address: 292921 Highway 101, Quilcene WA 98376	File No: 822 County No: 31 Source No: 110 Application No: 24NOC1640
Physical Address of Project or New Source: 2553 Cape George Rd Port Townsend WA 98362	Date Received: Received FEB 26 2024 ORCAA
Billing Address: 292921 highway 101 Quilcene WA 98376	

Project or Equipment to be installed/established:

Automotive Paint Booth

Anticipated startup date: 02 / 01 / 24 Is facility currently registered with ORCAA? Yes ☐ No ☒

This project must meet the requirements of the State Environmental Policy Act (SEPA) before ORCAA can issue final approval. Indicate the SEPA compliance option:

- ☐ SEPA was satisfied by _____ (government agency) on ___/___/___ (date) - Include a copy of the SEPA determination
- ☐ SEPA threshold determination by _____ (government agency) is pending - Include a copy of the environmental checklist
- ☒ ORCAA is the only government agency requiring a permit - Include ORCAA Environmental Checklist
- ☐ This project is exempt from SEPA per _____ (WAC citation).

Name of Owner of Business: Abel Alejo		Agency Use Only
Title: Owner		
Email: alejokustom@outlook.com	Phone: 3603442235	
Authorized Representative for Application (if different than owner):		
Title:		
Email:	Phone:	
I hereby certify that the information contained in this application is, to the best of my knowledge, complete and correct.		
Signature of Owner or Authorized Representative: (sign in Blue Ink)		
Abel Alejo	**Date:** 02/09/24	

IMPORTANT: Do not send via email or other electronic means. ORCAA must receive Original, hardcopy, signed application and payment prior to processing application.

OLYMPIC REGION CLEAN AIR AGENCY

2940 Limited Lane NW - Olympia, Washington 98502 - 360-539-7610 – Fax 360-491-6308

FORM 1D- Contact Information

Business Name	FOR ORCAA USE
Alejo Kustom	FILE # 322
Physical Site Address (Street address, city, state, zip)	CTY # 31
2553 Cape George Rd Port Townsend WA 98362	SRC # 110
	Date Received
Previous Business Name (if applicable)	Received FEB 26 2024 ORCAA

Contact Information

Inspection Contact			
Name	Abel Alejo	Title	Owner
Phone	3603442235	Email	alejokustom@outlook.com
Billing Contact			
Name	Abel Alejo	Title	Owner
Phone	3603442235	Email	alejokustom@outlook.com
Emission Inventory Contact			
Name	Abel Alejo	Title	Owner
Phone	3503442235	Email	alejokustom@outlook.com
Complaint Contact			
Name	Abel Alejo	Title	Owner
Phone	3603442235	Email	alejokustom@outlook.com
Permit Contact			
Name	Abel Alejo	Title	Owner
Phone	3603442235	Email	alejokustom@outlook.com

The **inspection contact** is the on-site person responsible for the everyday operation of the site and is available for inspections.
The **billing contact** is the person invoices are sent.
The **emission inventory contact** is the person requests for emissions information and material use information are sent.
The **complaint contact** is the person who receives and responds to complaints received on-site and who is contacted regarding complaints ORCAA receives.
The **permit contact** is the person responsible for filling out permit applications and receiving approval from ORCAA.

OLYMPIC REGION CLEAN AIR AGENCY
2940 Limited Lane NW - Olympia, Washington 98502
Telephone: (360)-539-7610 – Fax: (360)-491-6308
www.orcaa.org

Received
FEB 26 2024
ORCAA

FORM 8

Fill out all the applicable equipment information requested below and submit the appropriate fees.

SPRAY COATING (Autobody)
SURFACE COATING (Aviation, Wood, Boat, Other)

Shop Information

Business Name: Alejo Kustom	**Contact Person:** Abel Alejo
	Phone Number: 360-344-2235
	Email: AlejoKustom@outlook.com
Operating Schedule: 9 hrs/day, 5 days/wk, 45 wks/yr	**Indicate days when operating:** ☒ M ☒ T ☒ W ☒ Thu ☒ F ☐ Sat ☐ Sun

Process Information

Flow:	☒ Cross front flow ☐ Cross reverse flow	☐ Full downdraft ☐ Semi-downdraft	☐ Side downdraft ☐ Updraft	☐ Combination ☐ Other (explain in attachment)
Exhaust:	☐ Side Wall	☐ Pit/Trench Design	☒ Ceiling	☐ Rear Wall ☐ Front/Doors
Intake Type:	☐ Natural		☒ Forced (air make-up unit)	
Enclosure Type:	☒ Fully enclosed ☐ Closed top open front (CTOF)	☐ Compact/modular ☐ Curtain/tent/drape ☐ Tunnel	☐ Open table/bench ☐ Other (explain in attachment)	
Width (feet): 14 FT	**Length (feet):** 26	**Height (feet):** 9		
Manufacturer:	Air Filtration Company			
Model Number:	AMB-2410/CP-1			
Serial Number:	96-2849			
Pressure Gauge:	☐ Yes ☐ No	**Filter Plenum:**	☐ Yes ☐ No	
Intended Applicator Usage (see next section):	☐ Applicator #1 ☐ Applicator #2	☐ Applicator #3 ☐ Applicator #4	☐ Applicator #5	
Air Pollution Control Methods:	☐ Water Wash ☐ Scrubber ☐ Oxidizer (Form 35)	☒ Low VOC coatings ☐ Cyclone (Form 13) ☐ Baghouse (Form 12)	☐ Cartridge unit (Form 12) ☐ Enclosed spray gun cleaner	
Heater/Curing Information (if applicable)				
Heater Placement:	☐ Part of spray booth unit	☐ Separate curing enclosure (Form 11)		
Curing/Heating Type :	☐ Hot air dryer ☐ Ultraviolet	☒ Infrared dryer ☐ Boiler	☐ Other (explain in attachment)	
Fuel/Heat Type :	☐ Natural gas ☒ Propane (LP) Gas	☐ Electric ☐ Diesel	☐ Other (explain in attachment)	
Maximum Heating Rate (MMBtu/hr):	32,000			
Maximum Air Flow Rate (acfm):				

RETURN TO ORCAA

Coating Operation Information

Type:	☐ Existing Stationary Source ☐ Temporary Source ☐ New Stationary Source
NAICS Code(s):	

Coating Equipment Information

	Applicator #1	Applicator #2	Applicator #3	Applicator #4	Applicator #5
Coating Type:**	☐ Brush/Roller ☐ Web ☐ Wet spray ☐ Deposition ☐ Powder ☐ Plating	☐ Brush/Roller ☐ Web ☐ Wet spray ☐ Deposition ☐ Powder ☐ Plating	☐ Brush/Roller ☐ Web ☐ Wet spray ☐ Deposition ☐ Powder ☐ Plating	☐ Brush/Roller ☐ Web ☐ Wet spray ☐ Deposition ☐ Powder ☐ Plating	☐ Brush/Roller ☐ Web ☐ Wet spray ☐ Deposition ☐ Powder ☐ Plating
Manufacturer:					
Model:					
Quantity:					
Technology Type:	☒ HVLP ☐ Electrostatic ☐ Air-assisted airless ☐ Airless ☐ Air spray ☐ Rotary cup ☐ Airbrush ☐ Other (explain in attachment)	☐ HVLP ☐ Electrostatic ☐ Air-assisted airless ☐ Airless ☐ Air spray ☐ Rotary cup ☐ Airbrush ☐ Other (explain in attachment)	☐ HVLP ☐ Electrostatic ☐ Air-assisted airless ☐ Airless ☐ Air spray ☐ Rotary cup ☐ Airbrush ☐ Other (explain in attachment)	☐ HVLP ☐ Electrostatic ☐ Air-assisted airless ☐ Airless ☐ Air spray ☐ Rotary cup ☐ Airbrush ☐ Other (explain in attachment)	☐ HVLP ☐ Electrostatic ☐ Air-assisted airless ☐ Airless ☐ Air spray ☐ Rotary cup ☐ Airbrush ☐ Other (explain in attachment)
Automation/ Control:	☒ Manual ☐ Automatic	☐ Manual ☐ Automatic	☐ Manual ☐ Automatic	☐ Manual ☐ Automatic	☐ Manual ☐ Automatic
Air Supply Pressure (psi):	10-30psi				
Fluid Output Pressure (psi):	10-30psi				
Mounting:	☒ Handheld Gun ☐ Machine/ Reciprocator	☐ Handheld Gun ☐ Machine/ Reciprocator	☐ Handheld Gun ☐ Machine/ Reciprocator	☐ Handheld Gun ☐ Machine/ Reciprocator	☐ Handheld Gun ☐ Machine/ Reciprocator

**Only provide further information for applicators that are <u>not</u> roller/brush

Dry Filter Information

	Pre-Filter	Exhaust Filter
Manufacturer:	AFC Filters	AFC Filters
Model:	AFC	AFC
Media Type:	Tacky lw white Back	Yellow face / white Back
Overall Arrest Efficiency (%):		
Filtered Area (squared feet):		

RETURN TO SCAA

Heavy Metal Information

Application of coatings containing compounds of chromium (Cr), lead (Pb), manganese (Mn), nickel (Ni), or cadmium (Cd):	☐ Yes** ☐ No

**Please provide SDS/ MSDS information and estimated annual usage for each product

Other Process Information

Abrasive Blasting:	☐ Yes (Form 17) ☐ No
Welding:	☐ Yes (Form 19) ☐ No
Metal Cutting:	☐ Yes (Form 31) ☐ No
Fluidized Bed Coating:	☐ Yes ☐ No

Cleaning/Etching/Degreasing Information

Methylene Chloride Stripping:	☐ Yes** ☐ No
Phosphate or Chromate Conversion Coating:	☐ Yes** ☐ No
Chemical/Acid Rinsing or Bathing:	☐ Yes** ☐ No

**Please provide SDS/ MSDS information and estimated annual usage for each product

Exhaust/Stack/Building Information

Motor Power (hp):		
Exhaust Air Flow Rate at 0.65" w.g. (acfm):		
Fan Diameter (feet):	30" Explosion Proof Fan	
Stack Type:	☒ Vertical (Ceiling Outlet)	☐ Horizontal (Wall Outlet)
Stack Height (feet from ground):	15+ feet	
Stack Inside Diameter (inches):	30"	
Stack weatherproof damper or exhaust apparatus:	☐ None ☐ Hexagonal ☐ Stack within stack	☒ Butterfly ☐ Inverted cone ☐ Other (explain in attachment)
Bldg. Peak Height (feet):	12ft	
Bldg. Width (feet):	25ft	
Bldg. Length (feet)	30ft	

Air Quality Modeling Site Information

Distance from the centroid of the stack to the shop's property line (feet):	Unk
Distance from the centroid of the stack to the nearest point on the property line of a permanent residence (feet):	4,000+ft

Filing Fee:

See https://www.orcaa.org/services/fee-schedules/ for an up-to-date list of fees

Material Usage Information

Provide the following information and attach copies of Material Safety Data Sheets (MSDS) used in all coating operations, including but not limited to pre-treatment wash, chemical strippers, paint, primer, topcoat, clearcoat, gelcoat, lacquer, stain, catalyst, activator, hardener, resin, filler, sealer, adhesive, solvent and thinner/reducer and any other materials used which contain volatile organic compounds (VOC). Use additional pages if necessary. For similar materials such as multiple color variations of a stain or paint, enter as single item with a usage rate representing the total gallons of all variations used, and provide the MSDS for the constituent which is most used.

NAME OF MATERIAL (as on SDS/ MSDS):	ESTIMATED ANNUAL USAGE (in gallons):	**Applicator #** (as defined in the "Coating Equipment Information" section):