

RE: Weyerhaeuser 23NOC1615 For Applicant Review

Nancy Liang <NLiang@trinityconsultants.com>

Fri 3/29/2024 12:09 AM

To: Aaron Manley <aaron.manley@orca.org>; spencer.headley@weyerhaeuser.com <spencer.headley@weyerhaeuser.com>; Yanik, Christine <Christine.Yanik@weyerhaeuser.com>; Beth Ryder <bRyder@trinityconsultants.com>
Cc: Debbie Moody <debbie.moody@orca.org>; Mike Shults <mike.shults@orca.org>; Jeff Johnston <jeff.johnston@orca.org>; Jennifer DeMay <jennifer.demay@orca.org>; Nolan, Michael <Michael.Nolan@weyerhaeuser.com>; Matt Goldman <Matt.Goldman@trinityconsultants.com>

 2 attachments (4 MB)

Weyco Raymond CDK v11.0_ORCAA.xlsx; Weyerhaeuser 23NOC1614 Applicant Review Draft 3-27-2024_Trinity Edits.docx;

Hi Aaron- Thanks for providing the draft permit for review. In the attached document, we included our edits in Track Changes along with our comments. Our main edit was on the arsenic testing requirements. The rest of the edits are less substantial. Also attached is the updated calculations spreadsheet (all updates are in blue texts on blue highlighted tabs) including hourly emission rates which are referenced in Table 6.1 of the draft permit.

We can walk through these edits during our 9am call. Thanks for your help!

Nancy Liang (she/her)**Please Note New Phone Number**

P 253.867.5600 x4819 D 425.966.2973

From: Aaron Manley <aaron.manley@orca.org>**Sent:** Wednesday, March 27, 2024 4:27 PM**To:** spencer.headley@weyerhaeuser.com; Yanik, Christine <Christine.Yanik@weyerhaeuser.com>; Nancy Liang <NLiang@trinityconsultants.com>; Beth Ryder <bRyder@trinityconsultants.com>**Cc:** Debbie Moody <debbie.moody@orca.org>; Mike Shults <mike.shults@orca.org>; Jeff Johnston <jeff.johnston@orca.org>; Jennifer DeMay <jennifer.demay@orca.org>**Subject:** Weyerhaeuser 23NOC1615 For Applicant Review

Hello. I'm attaching the applicant review copy of your NOC permit. Please pay special attention to the Conditions of Approval, as they will be permanent once the NOC is finalized. I'm available to discuss any permit questions you may have.

Please provide your comments, if any, as soon as possible. After your review, we need to send a draft to Ecology to complete the Tier II review. Then we will incorporate their recommendation and use that draft to begin public noticing.

You will have the opportunity to comment on the proposed permit during the public noticing period and will also have a chance to appeal the permit to the Pollution Control Hearings Board after the permit is issued, should you choose.

Once we receive and address your comments we will forward the draft to Ecology.

Sincerely,

Aaron Manley, P.E.

Engineer II

+++++

Olympic Region Clean Air Agency

2940 Limited Lane NW

Olympia, WA 98502

(360) 539-7610 x 104

www.orcaa.org

Please take notice that any records or communications with ORCAA are subject to public disclosure under the Public Records Act (RCW 42.56) unless exempt under applicable law.

Please consider the environment before printing this email.

ATTENTION: This email came from outside of ORCAA's system. Use caution when replying, or when opening attachments unless you know the sender *and* were expecting the attachment.
